Part D

Design Guidelines

9.0 Guidelines for Buildings and Surroundings

In its history and character, Thornhill is a distinct place in the larger municipality of Markham. The character was recognized and given official status in the creation of the Thornhill Markham Heritage Conservation District in 1986.

The purpose of these Design Guidelines is to help maintain the historic qualities that make up that sense of distinctness. They are intended to clarify and illustrate, in a useful way, the recognizable heritage characteristics found in the Village. They will serve as a reference for anyone contemplating alterations or new development within the Heritage Conservation District.

The Guidelines examine the past in order to plan for the future. They recognize that change must and will come to Thornhill. The objective of the Guidelines is not to prevent change, but to ensure that change is complementary to the heritage character that already exists, and enhances, rather than harms it.

The design Guidelines are divided into the following sections:

Architectural Styles Streetscapes Alterations and Additions to Heritage Buildings Alterations and Additions to Other Buildings New Development

- Residential Areas
- Yonge Street Commercial Core Commercial Features and Streetscape Elements Landscape Features



Looking north on Yonge Street from the intersection of Colborne in 1905 Weaver #260.

9.1 Architectural Styles

Architectural style means the identifying characteristics of construction as it has evolved under the force of changing technology and fashion. Before the industrial age, even minor details were custom-made for each building and it would be hard to find even two identical front door designs from the early 19th century.

Nonetheless, each period produced buildings that shared a design vocabulary, including elements of massing, composition, proportions, window and door details, and decorative elements. This section shows the principal historic styles that have appeared in Thornhill. This section is necessarily brief and does not replace the real research needed for authentic work.

Guidelines

- Additions and alterations to an existing heritage building should be consistent with the style of the original building.
- 2. New developments should be designed in a style that is consistent with the vernacular heritage of the community.
- 3. All construction should be of a particular style, rather than a hybrid one. Recent developments have tended to use hybrid designs, with inauthentic details and proportions; for larger homes, the French manor or *château* style (not indigenous to Ontario) has, for example, been heavily borrowed from. These kinds of designs are not appropriate for the Thornhill village.

Georgian Tradition 1800-1860

Symmetrical façade usually 3 or 5 bays

Rectangular plan

Rear addition or kitchen wing in T or L plan

Rear addition may be a "saltbox" a continuation of the rear roof slope

Low to medium pitch gable roof

Low pitched hip roof sometimes used

Eave returns

Gable end chimneys



30 Colborne Street

9.1.1 Heritage Styles Residential Buildings

6 panelled central door may have transom and/or sidelights, Classical entrance surround


Sash-style windows 6/6, 12/8 or 12/12 lights may have louvered shutters


1, 1 ½ or 2 storey form


Brick, wood clapboard, rougheast stucco typical local exterior finishes


Simple small-scaled trim


Porch or veranda sometimes added











Classic Revival 1830-1860

Symmetrical facade usually 3 bays.

Rectangular plan


Some examples are gable-fronted (temple front)

Rear addition or kitchen wing in T or L plan

Medium pitch gable roof

Bold eave returns

Gable end chimneys



10 Colborne Street

9.1.1 Heritage Styles **Residential Buildings**

2, 4, or 6 panelled central door, may have transom and sidelights bold Classic entrance surround


Sash-style windows 6/6 lights (2/2 common update) may have louvered shutters


Plain or moulded window surrounds sometimes with peaked heads


1, 1 ½ or 2 storeys


Brick, wood clapboard, roughcast stucco typical local exterior treatments

Porches or verandas sometimes added









39 Colborne Street



25 Colborne Street

Regency 1830-1860

Symmetrical façade usually 3 or 5 bays


Square or rectangular plan

Rear addition or kitchen wing in T or L plan

Raised foundation for basement kitchen

Low pitched hipped roof

Prominent chimneys internal or end wall



7320 Yonge Street, built in the 1840s by James Chapman

9.1.1 Heritage Styles Residential Buildings

4 or 6 panelled door, may have transom and/or sidelights

Simple, small-scaled trim


French doors serving large verandas


Sash-style windows 6/6, 12/8 or 12/12 glazing may have louvered shutters and/or sidelights


1, 1 1/2 or 2 storeys


Brick, wood clapboard, roughcast stucco typical local exterior finishes

Verandas common on 1, 2 or 3 sides, supported by trelliage











8119 Yonge Street (demolished 1972)



Napier Simpson's modern Regency 24 Deanbank Drive

Ontario Classic 1860-1890

Symmetrical façade usually 3 bays

T-shaped plan with rear kitchen wing

Medium or steeply pitched gable roof

Gothic Revival centre gable with pointed-arched or round-arched window

Decorative bargeboards, kingposts and finials in gables

Gable-end corbelled stove chimneys



18 John Street

9.1.1 Heritage Styles Residential Buildings


4 panelled central door, may have transom and/or sidelights


Sash-style windows flat headed or segmentallyheaded 2/2 lights may have louvered shutters


1 1/2 storey height


Polychrome brick, board and batten, vertical tongue and groove, or roughcast stucco typical local exterior treatments


Full-width veranda typical













148 John Street

Gothic Revival 1860-1880

Asymmetrical façade

Irregular or L-plan provides ell for veranda

Medium or steeply pitched gable roof

Decorative bargeboards, kingposts and finials in gables

Gable-end corbelled stove chimneys



15a Church Lane

9.1.1 Heritage Styles Residential Buildings

4 panelled door, may have transom and/or sidelights


Angled bay window with mansard or hipped roof


Sash-style windows segmentally-headed 2/2 lights may have louvered shutters


1½ or 2 storeys


Polychrome brick, board and batten, vertical tongue and groove

Ell veranda with turned posts and decorative brackets











66 Centre Street

Thornhill Markham Heritage Conservation District Plan

Bungalow/Arts and Crafts 1900-1930

Asymmetrical façade


Rectangular or irregular plan

Low-pitched gable or hip roof with wide eaves, exposed rafter ends may have brackets on gable ends

Shed or gable-roofed dormers

May have closed gable ends with pent roof and wood shingled wall finish

Prominent exterior fireplace chimney with small windows on either side



9.1.1 Heritage Styles Residential Buildings

Glazed and panelled door, may have sidelights

Casement-style windows singly or in groups, multiple lights

Box bay windows


1½ or 2 storeys

Brick, clapboard, wood shingles and stucco typical local exterior treatments

Deep porch, sometimes under main roof, supported on heavy wood posts resting on brick or riverstone pedestals

Glazed sunroom or screened sleeping porches are common







11 Colborne Street



86 John Street

Edwardian Classical 1905-1930

Symmetrical or asymmetrical façade may be gable fronted

Square or rectangular or irregular plan most common, larger examples may have projecting bays

Medium-pitched hip or gable roof with wide overhanging eaves

Hip or gable-roofed dormers

Exterior brick fireplace chimneys



7951 Yonge Street

9.1.1 Heritage Styles Residential Buildings

Glazed and panelled door, or glazed slab door

Sash-style windows 1/1 or 6/1 lights may have rectangular transom


Angled or box-bay windows


2 storey form most common

Brick most common exterior finish

Deep porch with hip or gable roof, closed gable ends with pent eaves porch supported on heavy Classical columns or square posts resting on brick pedestals

Glazed sunroom a common feature







Thornhill Markham Heritage Conservation District Plan



27 John Street

Vernacular Homestead 1890-1930

Front-facing gable with steep roof

Usually 2 bays wide, with entrance and stair to one side,


Rectangular plan has greater depth than width, sometimes built in an L-plan

Simple detailing

Sash-style windows flat headed or segmentally-headed 1/1 or 2/2 lights

Full-width veranda is common


Clapboard, brick or stucco exterior finish.




36 John Street


9.1.1 Heritage Styles **Residential Buildings**

Typical Design Elements:





Thornhill Markham Heritage Conservation District Plan



7040 Yonge Street (demolished 1989)

Dutch Colonial Revival 1900-1939

Symmetrical façade, usually 3 bays with gable ends at sides

Gambrel or "barn roof" is characteristic of the style

Dormers are common, with gambrel or gable roofs


Sash-style windows, 6/6 lights, flat-headed, louvered shutters are common



34 John Street

9.1.1 Heritage Styles Residential Buildings





Cape Cod Cottage 1925-1955

Symmetrical façade, usually 3 bays

Rectangular plan, sometimes with kitchen or garage extension at one end

Steep, side-gable roof sometimes with gable-roofed dormers

1 or 1 1/2 storey height

Panelled door, sometimes with small windows, door surround and cornice are common

Sash-style windows, 6/6 lights, flat-headed, louvered shutters are common


Wood clapboard and brick are common exterior finishes





21 John Street

9.1.1 Heritage Styles **Residential Buildings**









39 John Street