# Memorandum to the City of Markham Committee of Adjustment

March 14, 2022

File: A/130/21

Address: 8 Galsworthy Drive – Markham, ON

Applicant: Mark Li

Agent: Yinghuan Weng Hearing Date: March 23, 2022

The following comments are provided on behalf of the East District Team. The applicant is requesting relief from the following "Residential One – (R1)" zone requirement under By-law 1229, as amended, as it relates to a new two-storey detached dwelling, to permit:

### a) By-law 99-90, Sec. 1.2(vi):

a maximum floor area ratio of 49.78%, whereas the by-law permits a maximum floor area ratio of 45.0%.

#### **BACKGROUND**

This application was deferred sine die by the Committee of Adjustment (the "Committee") on November 10, 2021 in order to give the applicant time to address concerns noted in the Minutes Extract (Appendix "D"). The initial variances requested are identified in the Staff Report dated November 2, 2021 (Appendix "C").

### **COMMENTS**

The applicant submitted revised drawings on February 22, 2022. The new two-storey detached dwelling would have a first floor area of 228.67 m<sup>2</sup> (2,461.38 ft<sup>2</sup>), a second floor area of 170.47 m<sup>2</sup> (1,834.92 ft<sup>2</sup>) for a total gross floor area of 399.14 m<sup>2</sup> (4,296.31 ft<sup>2</sup>). This is a reduction of 25.06 m<sup>2</sup> (269.74 ft<sup>2</sup>) from the applicant's initial submission, which proposed a dwelling with a total gross floor area of 424.20 m<sup>2</sup> (4,566.08 ft<sup>2</sup>).

The applicant is no longer requesting an increase to the maximum height or maximum depth, and has reduced their request relating to a maximum floor area ratio from 52.90% to 49.78%. The dwelling has a new building depth of 18.29 m (60.01 ft), which would comply with the By-law exception that allows for a maximum building depth of up to 18.90 m (62.01 ft), provided all criteria for an extension to the rear of the dwelling are met (see criteria outlined in initial staff report). The proposed development meets allother zoning provisions that establish the prescribed building envelope, and staff remainof the opinion that the proposed development meets the four tests under the *Planning Act, R.S.O. 1990, c. P.13, as amended.* 

#### **PUBLIC INPUT**

No new written submissions were received as of March 14, 2022. Additional information may be received after the writing of this report, and the Secretary-Treasurer will provide information on this at the meeting.

#### CONCLUSION

Planning staff recommend that the Committee consider the subsequent conditions of approval, and public input in reaching a decision. The onus is ultimately on the applicant to demonstrate how they satisfy the tests of the *Planning Act* required for the granting of minor variances.

# **APPENDICES**

Appendix "A" – Conditions of Approval

Appendix "B" – Plans Appendix "C" – Staff Report: November 2, 2021 Appendix "D" - Minutes Extract: November 10, 2021

PREPARED BY:

Aleks Todorovski, Planner, Zoning and Special Projects

**REVIEWED BY:** 

Carlson Tsang, Senior Planner, East District


# APPENDIX "A" CONDITIONS TO BE ATTACHED TO ANY APPROVAL OF FILE A/130/21


- 1. The variances apply only to the proposed development for as long as it remains.
- 2. That the variances apply only to the subject development, in substantial conformity with the batch stamped plans attached as Appendix B to this Staff Report, and that the Secretary-Treasurer receive written confirmation from the Director of Planning and Urban Design or designate that this condition has been fulfilled to his or her satisfaction.
- 3. Submission of a Tree Assessment and Preservation Plan, prepared by a qualified arborist in accordance with the City's Streetscape Manual (2009), as amended, to be reviewed and approved by the Director of Planning and Urban Design, or their designate, and that the Secretary-Treasurer receive written confirmation that this condition has been fulfilled to the satisfaction of the Director of Planning and Urban Design, or their designate.
- 4. That tree replacements be provided and/or tree replacement fees be paid to the Director of Planning and Urban Design, or their designate, if required, in accordance with the Tree Assessment and Preservation Plan, and that the Secretary-Treasurer receive written confirmation that this condition has been fulfilled to the satisfaction of the Director of Planning and Urban Design, or their designate.
- 5. That prior to the commencement of construction or demolition, tree protection be erected and maintained around all trees on site, including street trees, in accordance with the City's Streetscape Manual (2009), as amended, and inspected by the Tree Preservation Technician, or their designate, and that the Secretary-Treasurer receive written confirmation that this condition has been fulfilled to the satisfaction of the Director of Planning and Urban Design, or their designate.


CONDITIONS PREPARED BY:


Aleks Todorovski, Planner, Zoning and Special Projects


# APPENDIX "B" PLANS TO BE ATTACHED TO ANY APPROVAL OF FILE A/130/21













# **East Elevation**

SCALE :1/8" = 1'

# Appendix B

File: 21.136828.000.00.MNV

Date: 03/17/22

2.	ISSUED FOR MINOR VARIANCE -REVISED	FEB./ 07/ 2022
1.	ISSUED FOR ZONING CERTIFICATE	JUNE/ 30 / 2021
NO.	REVISIONS	DATE

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSE UNTIL SEALED AND SIGNED BY THE ARCHITECT.

DO NOT SCALE DRAWINGS.

PROJECT:

PROPOSED TWO STOREY RESIDENCE AT 8, GALSWORTHY DRIVE. MARKHAM , ON

DRAWING:

East Elevation

DATE: -- APRIL 2021


SCALE: AS NOTED

DRAWING NO

DRN: CKD:

**A6** 





# **North Elevation**

SCALE :1/8" = 1'

2.	ISSUED FOR MINOR VARIANCE -REVISED	FEB./ 07/ 2022
1.	ISSUED FOR ZONING CERTIFICATE	JUNE/ 30 / 2021
NO.	REVISIONS	DATE

CONTRACTORS MUST CHECK AND VERIFY ALL DIMENSIONS AND CONDITIONS ON THE PROJECT AND MUST REPORT ANY DISCREPANCIES TO THE DESIGNER BEFORE PROCEEDING WITH CONSTRUCTION.

THIS DRAWING MUST NOT BE USED FOR CONSTRUCTION PURPOSE UNTIL SEALED AND SIGNED BY THE ARCHITECT.

DO NOT SCALE DRAWINGS.

PROJECT:

PROPOSED TWO STOREY RESIDENCE AT 8, GALSWORTHY DRIVE. MARKHAM , ON

DRAWING:

North Elevation


DATE: -- APRIL 2021


SCALE: AS NOTED

DRAWING NOTED

DRAWING NOTED

Α7





**APPENDIX "C"** 

**STAFF REPORT: NOVEMBER 2, 2021** 

# Memorandum to the City of Markham Committee of Adjustment

November 2, 2021

File: A/130/21

Address: 8 Galsworthy Drive – Markham, ON

Applicant: Mark Li

Agent: Yinghuan Weng Hearing Date: November 10, 2021

The following comments are provided on behalf of the East District team. The applicant is requesting relief from the following "Residential One - (R1)" zone requirements under Bylaw 1229, as amended, as they relate to a new two-storey detached dwelling. The variances requested are to permit:

# a) By-law 99-90, Sec. 1.2(ii):

a maximum depth of 20.72 m (67.98 ft), whereas the by-law permits a maximum depth of 16.80 m (55.12 ft);

# b) By-law 99.90, Sec. 1.2(I):

a maximum height of 10.51 m (34.48 ft), whereas the by-law permits a maximum height of 9.80 m (32.15 ft); and

# c) By-law 99-90, Sec. 1.2(vi):

a maximum floor area ratio of 52.90%, whereas the by-law permits a maximum floor area ratio of 45.0%.

#### BACKGROUND

# **Property Description**

The 990.41 m² (10,660.68 ft²) subject property is located on the west side of Galsworthy Drive, north of Highway 7 East, east of Hawkridge Avenue, and south of Bullock Drive. The property is developed with a one-storey single detached dwelling, with an attached garage which is accessed by a circular driveway. According to City records, the dwelling was constructed circa 1957. Mature vegetation exists across the property. The property's irregular shape is due to the front and rear lot lines that are situated on an angle in relation to the side lot lines (Appendix "C"), which follows a similar trajectory for other properties along the west side of Galsworthy Drive located between the local intersections of Honeybourne Crescent and Galsworthy Drive.

The property is located within an established residential neighbourhood comprised of a mix of one and two-storey detached and semi-detached dwellings, and commercial plazas that front onto Highway 7 East. Newer dwellings are being developed as infill developments along Galsworthy Drive, and within the surrounding area. The dwellings are low-rise and vary in terms of their mass, shapes, sizes, heights, and depths.

### **Proposal**

The applicant is proposing to demolish the existing one-storey dwelling, to construct a new two-storey single detached dwelling with a building depth of 20.72 m (67.98 ft), a height of 10.51 m (34.48 ft), and a floor area ratio of 52.90%. Including the two separate garage areas, the proposed dwelling would have a ground floor area of 239.65 m² (2,579.57 ft²), a second floor area of 184.55 m² (1,986.48 ft²), for a total gross floor area of 424.20 m² (4,566.08 ft²).

#### Official Plan and Zoning

Official Plan 2014 (partially approved on November 24/17, and updated on April 9/18)

The subject property is designated "Residential Low Rise", which provides for low rise housing forms including single detached dwellings. Section 8.2.3.5 of the Official Plan outlines infill development criteria for the "Residential Low Rise" designation with respect to height, massing, and setbacks. This criteria is established to ensure that infill development is appropriate for the site and generally consistent with the zoning requirements for adjacent properties and properties along the same street, while accommodating a diversity of building styles. In considering applications for development approval in a "Residential Low Rise" area, which includes variances, development is required to meet the general intent of these development criteria. Regard shall also be had for the retention of existing trees and vegetation.

## Zoning By-Law 1229

The subject property is zoned "Residential One – (R1)" under By-law 1229, as amended, which permits one single detached dwelling per lot.

## Residential Infill Zoning By-law 99-90

The subject property is also subject to the Residential Infill Zoning By-law 99-90. The intent of this By-law is to ensure the built form of new residential construction will maintain the character of existing neighbourhoods. It specifies development standards for building depth, garage projection, garage width, floor area ratio, height, and number of storeys. The proposed development does not comply with the Infill By-law requirements with respect to the maximum building depth, building height, and floor area ratio.

# **Zoning Preliminary Review (ZPR) Undertaken**

A ZPR was completed on August 16, 2021 to confirm the variances required for the proposed development.

## **COMMENTS**

Section 45(1) of the *Planning Act, R.S.O. 1990, c. P.13, as amended*, states that four tests must be met in order for a variance to be granted by the Committee of Adjustment ("the Committee"):

- a) The variance must be minor in nature;
- b) The variance must be desirable, in the opinion of the Committee, for the appropriate development or use of land, building or structure;
- c) The general intent and purpose of the Zoning By-law must be maintained;
- d) The general intent and purpose of the Official Plan must be maintained.

### Increase in Maximum Building Depth

The applicant is requesting a maximum building depth of 20.72 m (67.98 ft), whereas the By-law permits a maximum building depth of 16.80 m (55.12 ft). This is an increase of 3.92 m (12.86 ft).

Building depth is measured based on the shortest distance between two lines, both parallel to the front lot line, one passing through the point on the dwelling which is the nearest and the other through the point on the dwelling which is the farthest from the front lot line.

Staff have reviewed the proposed development, and determined that the two-storey portion of the dwelling has an approximate depth that ranges between 6.71 m (22.01 ft) along the north side, and 15.93 m (52.26 ft) along the south side which:

meet the minimum side yard setback requirements.

The By-law also permits a building depth of up to 18.90 m (62.01 ft) by an extension to the rear of the dwelling, if such an extension complies with the following criteria:

- the extension does not exceed one storey;
- the extension does not exceed 4.60 m (15.09 ft) in height;
- the extension is setback from all lot lines a minimum distance of the greater of 3.0 m (9.84 ft), or the minimum required setback; and
- the extension is not wider than one-half of the width of the dwelling at its widest point.

As the property's front and rear lot lines are angled, the building depth measures 20.62 m (67.65 ft) as shown in the Site Plan (Appendix "B"). Staff are of the opinion that the rear balcony appropriately maintains the intent of the By-law, as it generally meets the criteria for extensions. Staff have also given consideration to other elements which assist in breaking up the mass of a building, including stepbacks, setbacks, and the location of the front covered porch which extends beyond the maximum permitted building depth. Staff have no objections to the requested variance.

### Increase in Maximum Building Height

The applicant is requesting a maximum building height of 10.51 m (34.48 ft), whereas the By-law permits a maximum building height of 9.80 m (32.15 ft). This is an increase of 0.71 m (2.33 ft).

The By-law calculates building height using the vertical distance of a building or structure measured between the level of the crown of the street at the mid-point of the front lot line and the highest point of the ridge of a gable, hip, gambrel, or other type of pitched roof.

Staff note that the grade at the front of the house is approximately 1.41 m (4.63 ft) above the crown of the street at the mid-point. Therefore, the height from grade at the mid-point of the property is approximately 9.49 m (29.86 ft), and staff are of the opinion that the general intent of the By-law is maintained as the requested variance can be considered to be partially attributable to the higher grade of the subject property at the front elevation. Other examples of existing infill developments along Galsworthy Drive, and within the surrounding area have obtained variance approvals for similar increases to building heights. While staff note that minor variance decisions are not precedent setting, and each variance application is assessed on its own individual merit, reviewing existing infill development assist staff in formulating an opinion on the development of a community's character. The proposed development also meets the minimum side yard setback requirement of 1.22 m (4.0 ft) for a one-storey portion, and 1.83 m (6.0 ft) for a two-storey portion on either side of the dwelling. Staff are of the opinion that the neighbourhood is in transition, and that any impacts from the requested variance to adjacent properties would be minimal.

# Increase in Maximum Floor Area Ratio

The applicant is requesting a maximum floor area ratio of 52.90%, whereas the By-law permits a maximum floor area ratio of 45.0%. The variance will facilitate the construction of a two-storey detached dwelling with a floor area of 424.20 m<sup>2</sup> (4,566.05 ft<sup>2</sup>), whereas the By-law permits a dwelling with a maximum floor area of 360.81 m<sup>2</sup> (3,883.73 ft<sup>2</sup>). This is an increase of 63.39 m<sup>2</sup> (682.32 ft<sup>2</sup>).

Floor area ratio is a measure of the interior square footage of the dwelling as a percentage of the net lot area however; it is not a definitive measure of the mass of the dwelling. With exception to the maximum building depth, and maximum building height, the building layout meets all other zoning provisions, including yard setbacks and lot coverage that assist in establishing the prescribed building envelope. Staff are of the opinion that the proposed dwelling is in keeping with the intended scale and size of residential infill developments for the neighbourhood, and that the requested variance maintains the general intent of the By-law.

#### Tree Protection and Compensation

In any event where this application is approved by the Committee, staff recommend that tree related conditions detailed in Appendix "A" be adopted to ensure the applicant installs the appropriate tree protection. Staff also note that the applicant is required to apply for and obtain a tree permit from the City for any proposed injury to, or removal of any trees with a diameter at breast height (DBH) of 0.20 m (0.66 ft), or more. Following any approval of this minor variance application, further mitigation may be required to ensure sufficient tree protection zone(s) are maintained for the appropriate protection of certain trees.

#### **PUBLIC INPUT SUMMARY**

Six written submissions in support of the proposed development were received as of the writing of this report (November 2, 2021). It is noted that additional information may be received after the writing of this report, and the Secretary-Treasurer will provide information on this at the meeting.

#### CONCLUSION

Planning staff have reviewed the application, and are of the opinion that the variance request meets the four tests under Section 45(1) of the *Planning Act*. Staff recommend that the Committee consider the conditions of approval detailed in Appendix "A", and public input in reaching a decision. The onus is ultimately on the applicant to demonstrate how they satisfy the tests of the *Planning Act* required for the granting of minor variances.

### **APPENDICES**

Appendix "A" - Conditions of Approval

Appendix "B" - Plans

Appendix "C" - Parcel Configuration: Galsworthy Drive

PREPARED BY:

Aleks Todorovski, Planner, Zoning and

**Special Projects** 

REVIEWED BY:

Carlson Tsang, Senior Planner, East

District


# APPENDIX "A" CONDITIONS TO BE ATTACHED TO ANY APPROVAL OF FILE A/130/21


- 1. The variances apply only to the proposed development for as long as it remains.
- 2. That the variances apply only to the subject development, in substantial conformity with the batch stamped plans attached as Appendix B to this Staff Report, and that the Secretary-Treasurer receive written confirmation from the Director of Planning and Urban Design or designate that this condition has been fulfilled to his or her satisfaction.
- 3. Submission of a Tree Assessment and Preservation Plan, prepared by a qualified arborist in accordance with the City's Streetscape Manual (2009), as amended, to be reviewed and approved by the Director of Planning and Urban Design, or their designate, and that the Secretary-Treasurer receive written confirmation that this condition has been fulfilled to the satisfaction of the Director of Planning and Urban Design, or their designate.
- 4. That tree replacements be provided and/or tree replacement fees be paid to the Director of Planning and Urban Design, or their designate, if required, in accordance with the Tree Assessment and Preservation Plan, and that the Secretary-Treasurer receive written confirmation that this condition has been fulfilled to the satisfaction of the Director of Planning and Urban Design, or their designate.
- 5. That prior to the commencement of construction or demolition, tree protection be erected and maintained around all trees on site, including street trees, in accordance with the City's Streetscape Manual (2009), as amended, and inspected by the Tree Preservation Technician, or their designate, and that the Secretary-Treasurer receive written confirmation that this condition has been fulfilled to the satisfaction of the Director of Planning and Urban Design, or their designate.


CONDITIONS PREPARED BY:


Aleks Todorovski, Planner, Zoning and Special Projects


# APPENDIX "B" PLANS TO BE ATTACHED TO ANY APPROVAL OF FILE A/130/21






















# APPENDIX "C" PARCEL CONFIGURATION: GALSWORTHY DRIVE



# Parcel Configuration: Galsworthy Drive







- LANDMARKS\_6000
- SLRN\_6000
- PARKS\_6000
- **Building Footprints**
- Parcel (MPAC)
- Park Facilities Parks
  - <all other values>

  - Under Development

Notes

NAD\_1983\_UTM\_Zone\_17N © City of Markham

DISCLAIMER: The information is presented on a best-efforts basis, and should not be relied upon for making financial, survey, legal or other commitments. If you have questions or comments regarding the data displayed on this map, please email cgis@markham.ca and you will be directed to the appropriate department.

APPENDIX "D"

**MINUTES EXTRACT: NOVEMBER 10, 2021** 

#### 4. A/130/21

**Owner Name: Mark Li** 

Agent Name: Yinghuan Weng 8 Galsworthy Drive, Markham

**PLAN 4949 LOT 125** 

The applicant is requesting relief from the requirements of By-law 1229 as amended to permit:

# a) By-law 99-90, Section 1.2 (ii):

a building depth of 20.72 m, whereas the By-law permits a building depth of 16.80 m;

# b) By-law 99-90, Section 1.2 (vi):

a maximum floor area ratio of 52.9 percent, whereas the By-law permits a maximum floor area ratio of 45.0 percent;

# c) By-law 99-90, Section 1.2 (I):

a building height of 10.51 m, whereas the By-law permits a building height of 9.80 m;

as it relates to a proposed two storey detached dwelling. (East District, Ward 4)

The Secretary-Treasurer introduced the application.

The agent Julius De Ruyter spoke on behalf of the application. Stated the client was prepared to reduce FAR by 100 ft<sup>2</sup>.

Elizabeth Brown of 65 Lincoln Green Drive spoke on the application. She indicated that the variances were not minor and asked for the application to be denied.

The agent Julius De Ruyter responded that the building only occupies 25% of the lot and that the applicant has neighbourhood support.

Committee member Jeamie Reingold thought the house was too big and massive visually. This design does not fit the character of neighbourhood and she would not support the application

Committee member Tom Gutfreund agreed with fellow committee member Jeamie Reingold that the proposal was too big for the area. He would like to see the Floor Area Ratio under 50 sqm.

Committee member Patrick Sampson also would like the proposal to be scoped. He also inquired if there was a TAPP report available and what the status of the preservation of trees.

Committee of Adjustment Minutes Wednesday, November 10, 2021

Mr. Roberts explained that a condition of approval requires that a tree preserving plan be submitted before a building permit is issued.

Committee chair Greg Knight asked about the trees and the driveway

Mr. Roberts stated the driveways are not part of the variance and it would have been reviewed by zoning. The City of Markham also has a tree preservation By-law.

Committee member Arun Prasad asked what the changes would be based on the client's willingness to reduce the size of the home.

The agent Julius De Ruyter responded that he had not spoken with the client about the changes they would make.

Committee member Arun Prasad recommend for deferral.

Moved By: Arun Prasad

Seconded By: Tom Gutfreund

THAT Application No A/130/21 be deferred sine die

Resolution Carried

### 5. A/131/21

**Owner Name: Manjeet Morsara** 

Agent Name: YEJ Studio and Consulting Inc (Amr Robah)

6 Golden Fern Street. Markham

**PLAN 65M4257 LOT 28** 

The applicant is requesting relief from the requirements of By-law 177-96 as amended to permit:

### a) By-law 177-96, Section 7.190.1 (a) (ii):

an accessory dwelling unit in basement, whereas the By-law permits an accessory dwelling unit only if it is located above a private garage;

as it relates to a proposed secondary suite (basement apartment). (East District, Ward 5)

The Secretary-Treasurer introduced the application.

The agent Amr Robah spoke on behalf of the application.